Contents

Preface vii

Photograph and list of participants viii

Resource allocation, demography and the radiation of life histories in rough periwinkles (Gastropoda)
by R.N. Hughes 1–14

TBT effects on the female genital system of *Littorina littorea*: a possible indicator of tributyltin pollution
by B. Bauer, P. Fioroni, I. Ide, S. Liebe, J. Oehlmann, E. Stroben & B. Watermann ... 15–27

Comparison of imposex response in three Prosobranch species
by M. Huet, P. Fioroni, J. Oehlmann & E. Stroben 29–35

Validation of a planimetric procedure to quantify stress in *Littorina littorea* (Gastropoda: Mollusca): is it independent of the reproductive cycle?
by G. Calvo-Ugarteburu, V. Saez, C.D. McQuaid & E. Angulo 37–44

Fine structure of the cephalic sensory organ in veliger larvae of *Littorina littorea* (L.) Mesogastropoda, Littorinidae)
by D. Uthe 45–52

Egg capsule morphology of five Hong Kong rocky shore littorinids
by Y.M. Mak 53–59

Shape variation in the rough periwinkle *Littorina saxatilis* on the west and south coasts of Britain
by P.J. Mill & J. Grahame 61–71

Microgeographical variation in shell strength in the flat periwinkles *Littorina obtusata* and *Littorina mariae*
by C.R. Fletcher 73–87

Lack of metabolic temperature compensation in the intertidal gastropods, *Littorina saxatilis* (Olivi) and *L. obtusata* (L.)
by R.F. McMahon, W.D. Russell-Hunter & D.W. Aldridge 89–100

Effects of ambient temperature and of temperature acclimation on nitrogen excretion and differential catabolism of protein and nonprotein resources in the intertidal snails, *Littorina saxatilis* (Olivi) and *L. obtusata* (L.)
by D.W. Aldridge, W.D. Russell-Hunter & R.F. McMahon 101–109

Environmentally-induced variation in uric acid concentration and xanthine dehydrogenase activity in *Littorina saxatilis* (Olivi) and *L. arcana* Hannaford Ellis
by D.C. Smith, P.J. Mill & J. Grahame 111–116

Crystalline calcium in littorinid mucus trails
by M.S. Davies & S.J. Hutchinson 117–121

Allozyme comparison of four littorinid species morphologically similar to *Littorina sitkana*
by N.I. Zaslavskaya 123–128

The relationship between position on shore and shell ornamentation in two size-dependent morphotypes of *Littorina striata*, with an estimate of evaporative water loss in these morphotypes and in *Melarhaphe neritoides*
by J.C. Britton 129–142

Maintenance of zonation patterns in two species of flat periwinkle, *Littorina obtusata* and *L. mariae*
by G.A. Williams 143–150

Seasonal migration promoting assortative mating in *Littorina brevicula* on a boulder shore in Japan
by Y. Takada 151–159

Extreme morphological diversity between populations of *Littorina obtusata* (L.) from Iceland and the UK
by R.I. Lewis & G.A. Williams 161–166

Frequency- and density-dependent sexual selection in natural populations of Galician *Littorina saxatilis* Olivi
by E. Rolán-Alvarez, K. Johannesson & A. Ekendahl 167–172

Dispersal and population expansion in a direct developing marine snail (*Littorina saxatilis*) following a severe population bottleneck
by K. Johannesson & B. Johannesson 173–180

A geographically-based study of shell shape in small rough periwinkles
by K.J. Caley, J. Grahame & P.J. Mill 181–193